

FILE FOLDER

DESCRIPTION ON TAB:

2D Maint. BN (H.W.)

2D FSSG

Outside/inside of actual folder did not contain hand written information

Outside/inside of actual folder did contain hand written information

***Scanned as next image**

This working Folder Contains Current
information And Notes regarding H.W.
Training And inspections. Return To:
Environmental Protection Specialist, NREAD
Telephone 5003, 2083.

6240
NREAD
APR 20 1987

From: Commanding General, Marine Corps Base, Camp Lejeune
To: Commanding General, 2d Force Service Support Group,
Camp Lejeune

Subj: HAZARDOUS WASTE (HW) COMPLIANCE INSPECTIONS OF 2D FORCE
SERVICE SUPPORT GROUP ORGANIZATIONS

Ref: (a) 8th Engineers Support Battalion HW inspection of
24 Mar 87
(b) 2d Supply Battalion HW inspection of 24 Mar 87
(c) 8th Communication Battalion HW inspection of 25 Mar 87
(d) 2d Maintenance Battalion HW inspection of 26 Mar 87
(e) BO 6240.5A
(f) CG/MCB 291625Z Oct/86


1. References (a) - (d) were conducted by Base Environmental personnel in accordance with references (e) and (f). It should be noted that no violations of Environmental Protection Agency regulations described in reference (e) were observed during references (a) - (d).

2. It is recommended that Hazardous Material Disposal Officers for each of the above organizations, closely monitor hazardous waste management activities, and ensure that newly assigned personnel involved in HW management, are provided training required by reference (e).

3. Point of contact for this matter is Mr. Danny Sharpe, NREAD, extensions 2083/1690.

T. J. DALELL
By direction

Writer/Typist Warren/Sweeney
Date Typed 17 Apr 87
Word Processor Number Compinsp



HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM

Date: 3-26-87

1. Facility being Inspected: Bldg. 902 2nd Maint. B.N. eng. ab.
2. Organization in Charge: 2nd FSSG
3. Inspection Participants/Phone Number: X5222/3989
 CAPT Austin / ^{S Sgt.} OZUNA HMDQ Sgt. ~~Osborne~~ Osborne

4. Description of HW Streams: CLEANING Solvents, Waste Oils,
POL'S.

5. Are records of HW generation consistent with HW streams?

6. HW Training

a. Are job descriptions available for all personnel actively involved in HW management?

b. Are training records adequate/current?

c. Are alternate personnel assigned to key positions?
 (If not, explain how unit deals with absence of key personnel)

d. Do contacted personnel demonstrate adequate knowledge of:

- | | |
|--------------------------------|-------------|
| (1) Regulatory Requirements | <u> </u> |
| (2) Applicable Base Orders | <u> </u> |
| (3) Types of HW Handled | <u> </u> |
| (4) Proper Containers | <u> </u> |
| (5) Proper Labeling | <u> </u> |
| (6) Weekly HW Inspections | <u> </u> |
| (7) HW Turn-in Procedures | <u> </u> |
| (8) Health and Safety | <u> </u> |
| (9) Spill Reporting Procedures | <u> </u> |
| (10) Spill Response Duties | <u> </u> |

7. Condition of Storage Facilities

a. Date of last Fire Dept Inspection?

b. Are spills likely to reach soil or water?

c. Are HW protected from weather?

d. Are weekly HW inspections conducted properly?



71

e. Are discrepancies corrected promptly? _____

f. Condition of containers? ("X" indicates discrepancy)

- | | | | |
|----------------|----------|--------------------------------|----------|
| (1) Closed | <u>✓</u> | (7) Properly Labeled | <u>✓</u> |
| (2) Leaking | <u>✓</u> | (8) Properly Dated | <u>✓</u> |
| (3) Bulging | <u>✓</u> | (9) Properly Stacked | <u>✓</u> |
| (4) Collapsed | <u>✓</u> | (10) Properly Packaged | <u>✓</u> |
| (5) Corroded | <u>✓</u> | (11) Meet DOT Requirements for | |
| (6) Overfilled | <u>✓</u> | Contents | <u>✓</u> |

g. Are 90 day turn-in deadlines being met? _____


h. Are HW turn-in documents being prepared and submitted in a timely, proper manner? _____

i. Comments: No Signs out UATs, No Contingency

Plans posted out UATs. HW Acc. site Contingency

Plan Not signed. Discrepancies corrected during Inspection.

K. Wain



ORGANIZATION:


2d FSSG

2d MAINTENANCE BATTALION

INSPECTION DATE: 6 January 1987

INSPECTOR'S NAME SAMMY GWYNN

| NO. | SPECIFIC LOCATION | DISCREPANCY | REF | RECOMMENDED CORRECTIVE ACTION |
|-----|-------------------|---|---------------------|--|
| 1 | | <p style="text-align: center;"><u>H & S CO. MOTOR TRANSPORT</u></p> <p>a. Bldg. #FC-40 FAILURE TO IDENTIFY AVAILABLE SPILL RESPONSE AND SUPPLIES</p> <p>b. Bldg. #FC-40 FAILURE TO CONDUCT WEEKLY INSPECTIONS AND MAINTAIN A LOG OF HAZARDOUS WASTE SITES</p> | 1 2 | COMPLETE SPILL CONTINGENCY PLAN SECTION FOR RESPONSE & SUPPLIES CONDUCT WEEKLY INSPECTIONS AND MAINTAIN AN INSPECTION LOG ON ALL HAZARDOUS WASTE SITES |
| 2. | | <p style="text-align: center;"><u>OPERATIONAL READINESS FLOAT</u></p> <p>a. Bldg. #909 FAILURE TO CONDUCT WEEKLY INSPECTIONS AND MAINTAIN A LOG OF HAZARDOUS WASTE SITES</p> <p>b. Bldg. #909 DESCRIPTION OF HAZARDOUS WASTE DUTIES DOES NOT ACTIVELY REFLECT WORKERS RESPONSIBILITES AND WORK ASSIGNMENTS</p> <p>c. Bldg. #909 FAILURE TO ESTABLISH AND MAINTAIN TRAINING RECORDS FOR ALL PERSONNEL INVOLVED IN HAZARDOUS WASTE MANAGEMENT</p> | 2 3 3 | CONDUCT WEEKLY INSPECTIONS AND MAINTAIN AN INSPECTION LOG ON ALL HAZARDOUS WASTE SITES COMPLETE TRAINING RECORDS SECTION ON RELATED DUTIES TRAINING RECORDS SHALL BE MAINTAINED FOR HAZARDOUS WASTE HANDLERS AND ALTERNATE TO INCLUDE A DESCRIPTION OF DUTIES AND TRAINING RECEIVED FOR PERSONNEL AT EACH SITE |




ORGANIZATION:

2d FSSG
2d MAINTENANCE BATTALION

INSPECTION DATE: 6 January 1987

INSPECTOR'S NAME SAMMY GWYNN

| NO. | SPECIFIC LOCATION | DISCREPANCY | REF | RECOMMENDED CORRECTIVE ACTION |
|-----|-------------------|---|-----|--|
| 3. | | <u>MOTOR TRANSPORT MAINTENANCE CO.</u> | | |
| a. | Bldg. #1601 | FAILURE TO ESTABLISH AND MAINTAIN TRAINING RECORDS FOR ALL PERSONNEL INVOLVED IN HAZARDOUS WASTE MANAGEMENT | 3 | TRAINING RECORDS SHALL BE MAINTAINED FOR HAZARDOUS WASTE HANDLERS AND ALTERNATE TO INCLUDE A DESCRIPTION OF DUTIES AND TRAINING RECEIVED FOR PERSONNEL AT EACH SITE. |
| b. | Bldg. #1601 | FAILURE TO IDENTIFY AVAILABLE SPILL RESPONSE AND SUPPLIES | 1 | COMPLETE SPILL CONTINGENCY PLAN SECTION FOR RESPONSE AND SUPPLIES |
| 4. | | <u>ORDNANCE MAINTENANCE CO.</u> | | |
| a. | Bldg. #901 | DESCRIPTION OF HAZARDOUS WASTE DUTIES DOES NOT ACTIVELY REFLECT WORKERS RESPONSIBILITIES AND WORK ASSIGNMENTS | 3 | COMPLETE TRAINING RECORDS SECTION ON RELATED DUTIES |
| b. | Bldg. #901 | FAILURE TO ESTABLISH AND MAINTAIN TRAINING RECORDS FOR ALL PERSONNEL INVOLVED IN HAZARDOUS WASTE MANAGEMENT | 3 | TRAINING RECORDS SHALL BE MAINTAINED FOR HAZARDOUS WASTE HANDLERS AND ALTERNATE TO INCLUDE A DESCRIPTION OF DUTIES AND TRAINING RECEIVED FOR PERSONNEL AT EACH SITE. |




ORGANIZATION:

2d FSSG
2d MAINTENANCE BATTALION

INSPECTION DATE: 6 January 1987

INSPECTOR'S NAME SAMMY GWYNN

| NO. | SPECIFIC LOCATION | DISCREPANCY | REF | RECOMMENDED CORRECTIVE ACTION |
|----------|---|---|-----|--|
| 5. a. | Bldg. #1601 | <u>GENERAL SUPPORT MAINTENANCE CO.</u> FAILURE TO CONDUCT WEEKLY INSPECTIONS AND MAINTAIN A LOG OF HAZARDOUS WASTE SITES | 2 | CONDUCT WEEKLY INSPECTIONS AND MAINTAIN AN INSPECTION LOG ON ALL HAZARDOUS WASTE SITES |
| 6. | <u>COMMENT:</u> FOR THE PURPOSE OF THIS INSPECTION, THE FACILITY WILL BE CONSIDERED IN COMPLIANCE WITH HAZARDOUS WASTE REGULATIONS. | <u>ENGINEER MAINTENANCE CO.</u> | | |




REFERENCES:

1. CG ltr 6240 NREAD of 10 Nov 86, provided by 6240 NREAD 20 Nov 86 requires the posting and development of sites specific hazardous waste spill responsibilities prevention and related guidance.

2. BO 6240.5 para 4.a(5) provide weekly inspections of all areas used to store hazardous waste and take action required to prevent and correct leaks, spills and other discrepancies. Maintain a log of those inspections.

3. Section 1, of enclosure (1) CG ltr 6240 NREAD of 9 Sep 85 "Clear, concise training records shall be maintained on each person actively involved in hazardous waste management."



2d FSSG

AUTHORIZED HAZARDOUS WASTE GENERATION AND STORAGE SITES, 2d MAINT BN

SITE NO. 1
GENERATION/ACCUMULATION

BLDG. FC-40, H & S Co., MOTOR TRANSPORT
DRY CLEANING SOLVENT, ELECTROLYTE AND
WASTE OIL

SITE NO. 2
GENERATION/ACCUMULATION

BLDG. 909, OPERATIONAL READINESS FLOAT
ELECTROLYTE AND WASTE OIL

SITE NO. 3
GENERATION/ACCUMULATION

BLDG. 1601, MOTOR TRANSPORT MAINTENANCE CO.
DRY CLEANING SOLVENT AND WASTE OIL

SITE NO. 4
GENERATION/ACCUMULATION


BLDG. 1601, GENERAL SUPPORT MAINTENANCE CO.
DRY CLEANING SOLVENT AND WASTE OIL

SITE NO. 5
GENERATION/ACCUMULATION

BLDG. 901, ORDNANCE MAINTENANCE CO.
DRY CLEANING SOLVENT AND WASTE OIL

SITE NO. 6
GENERATION/ACCUMULATION

BLDG. 902, ENGINEER MAINTENANCE CO.
DRY CLEANING SOLVENT, WASTE OIL &
ELECTROLYTE



HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM

Date: 6 JAN 87

1. Facility being Inspected: Operational Readiness Float - Bldg 909

2. Organization in Charge: 2d Maint BN 2d FSSG

3. Inspection Participants/Phone Number: Sgt Graham (alt)

Sgt Collins (prim) Phone: 1356 + 2992

4. Description of HW Streams: Electrolyte + Waste Oil

5. Are records of HW generation consistent with HW streams? yes

6. HW Training

a. Are job descriptions available for all personnel actively involved in HW management? no

b. Are training records adequate/current? no

c. Are alternate personnel assigned to key positions? yes
(If not, explain how unit deals with absence of key personnel)

d. Do contacted personnel demonstrate adequate knowledge of:

- (1) Regulatory Requirements yes
- (2) Applicable Base Orders yes
- (3) Types of HW Handled yes
- (4) Proper Containers yes
- (5) Proper Labeling yes
- (6) Weekly HW Inspections partially
- (7) HW Turn-in Procedures yes
- (8) Health and Safety yes
- (9) Spill Reporting Procedures yes
- (10) Spill Response Duties yes


7. Condition of Storage Facilities


a. Date of last Fire Dept Inspection? _____

b. Are spills likely to reach soil or water? yes

c. Are HW protected from weather? no

d. Are weekly HW inspections conducted properly? partially





HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM

Date: 1 Jan 87

1. Facility being Inspected: H&S Co. Motor Transport Bldg. FC 40
2. Organization in Charge: 2d Maint BN 2d FSSG
3. Inspection Participants/Phone Number: WO Nethers (grin)
Ssgt Stephens (alt) Phone: 3945 + 1470
4. Description of HW Streams: Dry Cleaning Solvent + Electrolyte

5. Are records of HW generation consistent with HW streams? yes

6. HW Training

a. Are job descriptions available for all personnel actively involved in HW management? yes

b. Are training records adequate/current? yes

c. Are alternate personnel assigned to key positions? yes
(If not, explain how unit deals with absence of key personnel)

d. Do contacted personnel demonstrate adequate knowledge of:

- | | |
|--------------------------------|------------|
| (1) Regulatory Requirements | <u>yes</u> |
| (2) Applicable Base Orders | <u>yes</u> |
| (3) Types of HW Handled | <u>yes</u> |
| (4) Proper Containers | <u>yes</u> |
| (5) Proper Labeling | <u>yes</u> |
| (6) Weekly HW Inspections | <u>NO</u> |
| (7) HW Turn-in Procedures | <u>yes</u> |
| (8) Health and Safety | <u>yes</u> |
| (9) Spill Reporting Procedures | <u>yes</u> |
| (10) Spill Response Duties | <u>yes</u> |


7. Condition of Storage Facilities


a. Date of last Fire Dept Inspection? _____

b. Are spills likely to reach soil or water? yes

c. Are HW protected from weather? NO

d. Are weekly HW inspections conducted properly? NO





HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM

Date: 17 SEPT 86

1. Facility being Inspected: OPERATION READINESS FLOAT Bldg 909
2. Organization in Charge: 2nd MAINT Bn.
3. Inspection Participants/Phone Number: Cpl MICHAUD
BY JONES SW
TOP LEVEL JOY, Group
TOM BARRE
- (ASST SAFETY WCO) CWO. Blount 1356/2992 SGT. GRAHM
4. Description of HW Streams: WASTE OIL, USED ELECTROLYTE

5. Are records of HW generation consistent with HW streams? NO RECORDS

6. HW Training

a. Are job descriptions available for all personnel actively involved in HW management? NO

b. Are training records adequate/current? NO

c. Are alternate personnel assigned to key positions? YES
 (If not, explain how unit deals with absence of key personnel)

d. Do contacted personnel demonstrate adequate knowledge of:

- | | |
|--------------------------------|------------|
| (1) Regulatory Requirements | <u>NO</u> |
| (2) Applicable Base Orders | <u>NO</u> |
| (3) Types of HW Handled | <u>NO</u> |
| (4) Proper Containers | <u>NO</u> |
| (5) Proper Labeling | <u>NO</u> |
| (6) Weekly HW Inspections | <u>NO</u> |
| (7) HW Turn-in Procedures | <u>NO</u> |
| (8) Health and Safety | <u>YES</u> |
| (9) Spill Reporting Procedures | <u>YES</u> |
| (10) Spill Response Duties | <u>YES</u> |

7. Condition of Storage Facilities

a. Date of last Fire Dept Inspection? 9-15-86

b. Are spills likely to reach soil or water? YES

c. Are HW protected from weather? NO

d. Are weekly HW inspections conducted properly? NO



HARRISON

1. Practice being inspected

2. Organization of practice

3. Inspection list

4. Description of the practice

5. Report of the inspection

6. HW Training

7. Are job descriptions involved in HW training?

8. Are training records maintained?

9. Are assigned personnel able to explain how they do it?

10. Do control systems exist?

11. Regulatory requirements

12. Accreditation criteria

13. Types of HW training

14. Proper organization

15. Training objectives

16. Weekly HW training

17. Written procedures

18. Health and safety

19. Full reporting procedure

20. Self-reported results

21. Date of last review/inspection

22. Are all relevant records maintained?

23. Are all relevant records maintained?

Condition of ...

- (1) Closed
- (2) Locked
- (3) Binding
- (4) Collapsed
- (5) Corroded
- (6) Overfilled

Are 20-50 ...
 Are 20-50 ...

Comments ...

TRAINING RECORD: HAZARDOUS WASTE MANAGEMENT/DISPOSAL

NAME OF ORGANIZATION: ELMACO, 2^D MAINT. BN

2^D FORCE SERVICE SUPPORT GROUP

EMPLOYEE NAME: SGT CLESTER, C.A.

JOB TITLE: COMPANY SAFETY NCO / RADIO TECHNICIAN

HAZARDOUS WASTE RELATED DUTIES: IS RESPONSIBLE FOR HANDLING, STORAGE AND DISPOSAL OF ANY HAZARDOUS MATERIALS STORED WITHIN THE COMPANY, TO INCLUDE WASTE OIL, INOPERATIVE ELECTRONIC TUBES (CONTAIN BERYLLIUM OXIDE), EXPIRED CORROSIVE PREVENTIVE COMPOUNDS, TOLUENE SOLVENT, TRICHLOROTRIFLUOROETHANE.

IS ALSO RESPONSIBLE FOR WEEKLY INSPECTIONS OF HAZARDOUS WASTE STORAGE.

| DATE | TITLE OF COURSE AND DESCRIPTION OF TRAINING (SEE NOTE 1) | EMPLOYEE SIGNATURE |
|-----------|---|--------------------|
| 9 OCT 85 | Fire Extinguisher Safety (MR. SNODGRASS) | Sgt CA Clester |
| 10 OCT 85 | Proper Handling of Hazardous Waste (DAN SHARPE) | Sgt CA Clester |
| 18 OCT 85 | Employee Training Records / Upkeep + Make (MR. DAN SHARPE) | Sgt CA Clester |
| 21 OCT 85 | Hazardous Material Training (LT. BYRNES) | Sgt CA Clester |
| 21 OCT 85 | Hazardous Material Disposal (MR. BECKER / SSGT LAMB) | Sgt CA Clester |



TRAINING RECORD: HAZARDOUS WASTE MANAGEMENT/DISPOSAL

NAME OF ORGANIZATION: 2D MAINT BN Gsm Co


Camp Lejeune, N.C.

EMPLOYEE NAME: SSGT J.L. OLIPHANT

JOB TITLE: 2142, TRK VEH REP / CRP PLT SGT, CO SAFETY

HAZARDOUS WASTE RELATED DUTIES: The MAJOR is to ENSURE that ALL OIL & POL to include HAZARDOUS WASTE MATERIALS ARE HANDLED AND DESPOSED OF PROPERLY. This is to include: SOLVENT (PD-686) TRICHLOROETHANE, OIL AND, PAINTS.

| DATE | TITLE OF COURSE AND DESCRIPTION OF TRAINING (SEE NOTE 1) | EMPLOYEE SIGNATURE |
|------|---|-----------------------|
| | Training To follow on next | |
| | Page ENCL: (B) | |
| | | |
| | | |
| | | |
| | | |



TRAINING RECORD: HAZARDOUS WASTE MANAGEMENT/DISPOSAL

NAME OF ORGANIZATION: ENGINEER MAINTENANCE CO

2ND MAINT BN


EMPLOYEE NAME: RAUL MONTALVO

JOB TITLE: SAFETY SNCO

HAZARDOUS WASTE RELATED DUTIES: INSPECTOR OF HAZARDOUS WASTE

AREA: TO INSTRUCT OTHER PERSONNEL, ON HANDLING HAZARDOUS MATERIAL. LCPL FORAN WORKS JACK SECTION AND WORKS WITH SOLVENT TO CLEAN PARTS OFF. LCPL FORAN WOULD BE THE ONE TO EMPTY AND REFILL TANK WITH SOLVENT. PERSONNEL ASSIGNED TO BATTERY HAVE BEEN INSTRUCTED TO CHARGE & DISPOSE OF BATTERYS.

| DATE | TITLE OF COURSE AND DESCRIPTION OF TRAINING (SEE NOTE 1) | EMPLOYEE SIGNATURE |
|----------|--|--------------------|
| 10-10-85 | STORAGE AND DISPOSAL OF HAZARDOUS MATERIAL. THE LABELING OF HAZARDOUS MATERIAL. TRAINING BY MR. DANIE SHARP (OJT) | Raul Montalvo |
| 10-18-85 | JOB DESCRIPTION FOR EACH PERSON WORKING WITH HAZARDOUS MATERIAL. WHAT TO DO IN CASE OF SAFETY EMERGENCY. RECORDS ON TRAINING. CLASS BY MR. D. SHARP (OJT) | Raul Montalvo |
| 10-21-85 | EFFECTS OF HAZARDOUS MATERIAL. DEFINITIONS OF HAZARDOUS WASTE. THE BASE ORDER SHOULD BE ON HAND. BO 640.5 BO 1190.1B CLASS BY LT BYRNES & SSGT LAMM (OJT) | Raul Montalvo |
| 10-21-85 | LCPL FORAN HAS BEEN INSTRUCTED ON HOW TO STORE AND LABEL HAZARDOUS WASTE WASTE MATERIAL. INSTRUCTED BY SSGT MONTALVO (OJT) | Brian P. Ford |
| 10-28-85 | LCPL VALDEZ WAS INSTRUCTED IN PROPER WAY OF STAGING BATTERYS THAT ARE NO LONGER SERVICEABLE. OJT. PROPER WAY OF DISPOSING BATTERYS. | Montalvo, Raul |



TRAINING RECORD: HAZARDOUS WASTE MANAGEMENT/DISPOSAL

NAME OF ORGANIZATION: MTM Co, 2nd Maint. Bn

2nd FSSG


EMPLOYEE NAME: Sgt. D. Martinez

JOB TITLE: 3522 Auto Mechanic

HAZARDOUS WASTE RELATED DUTIES: ~~Shop Safety NCO Company~~

Hazardous Waste NCO - my duties are; daily inspection by walk through of hazardous waste areas and a weekly detailed inspection of hazardous waste areas. To train individuals assigned to work with me in this area of responsibility. To maintain a log, and inspection sheets of the areas on a weekly basis. To keep up dates on the proper storage and disposal of all hazardous materials/waste.

| DATE | TITLE OF COURSE AND DESCRIPTION OF TRAINING (SEE NOTE 1) | EMPLOYEE SIGNATURE |
|-----------|---|------------------------|
| 10 Oct 85 | <u>OJT / On handling hazardous wastes</u> <u>by Dan Sharpe</u> | <u>Daniel Martinez</u> |
| 18 Oct 85 | <u>OJT / Training + Maintaining of Employee</u> <u>Records. B.E.O.</u> <u>Dan Sharpe</u> | <u>Daniel Martinez</u> |
| 21 Oct 85 | <u>OJT Hazardous material awareness</u> <u>+ Chemical Safety</u> <u>FILM - by LT Byrnes</u> | <u>Daniel Martinez</u> |
| 31 Oct 85 | | |
| | | |



TRAINING RECORD: HAZARDOUS WASTE MANAGEMENT/DISPOSAL

NAME OF ORGANIZATION: ORD MAINT CO, 2ND MAINT BN, 2ND FSSG

EMPLOYEE NAME: BROWN, CHARLES H.

JOB TITLE: TURRET REPAIRMAN / 9956

HAZARDOUS WASTE RELATED DUTIES: ALL HIS DUTIES


A. Repair Turrets

B. As Directed

C. TRAINING OTHERS (WHAT TO DO IN CASE OF A SPILL)
DJT

D. HOW TO DISPOSE OF HAZ WASTE (INSPECTIONS)

| DATE | TITLE OF COURSE AND DESCRIPTION OF TRAINING (SEE NOTE 1) | EMPLOYEE SIGNATURE |
|-----------|---|-----------------------|
| 18 OCT 85 | DANNY SHARP (NRAD) PREP DJT TRAINING SESSION OF EMPLOYEE RECORDS | [Signature] |
| 21 OCT 85 | LT. BYRNES + DANNY BACKER Hazardous Material Handling Session | [Signature] |
| | | |
| | | |
| | | |



Bldg 1827 Supply Bn motor T 55gt Williams

- need signs to show what to who to call in case of spills
- need logs (tmg + inspection)
- manifests for drawing + turnover of Hag m/HW

TP457 2F556 Hm warehouse 55gt Martin

- inspection + tmg. records
- spill reporting signs

FC 200 55gt Sheppard 55gt walker Bn Rep
8th Eng. Spp. Bn.

- spill reporting signs
- inspection + tmg. logs
- manifests

FC-100 8th motor T Sgt Hernandez

- spill reporting signs
- inspection + tmg. logs
- manifests

(said they were going to fill salmon
vats w/ Kero. + discontinue use
of PD-680)


FC-251 Anglico + Peon

FC-100 Capt Stuen 8th Comm SAME

- spill reporting signs
- inspection + tmg. logs
- manifests

2nd Radio Bn FC-241 motor T 6gt Sgt Kovan

- in good shape
- need copies of train ins





10Bn + 2 comp. Ang + Recon


| | | | | |
|---|------------------------|---------------------------------------|------------------|---|
| | 2 nd Angico | SSgt Stegall | 1481 | - LEFT MESSAGE NOV 20 th TO CONTACT ME |
| ✓ | 2 nd Recon | Gy Wagner | 3545 | 900 NOV 25 FC 520 |
| | 2 nd Radio | Gy Keirane | 5114, 3420 | CALL AFTER BACK TEXAS |
| | " Dental (EU) | Dr. L. Lobac (Japan) Ense Robinson | 2935 ext 11 | LEFT MESS TO CONTACT ME NOV 20 Smith (E-3) chief Stillion |
| | " Medical | SCPO Blair Mr. E. Wiggins | 2707, 5207, 2767 | |
| ✓ | " LTB | CPL Smith MSgt Robinson | 3754, 3256 | LEFT MESS NOV 20 th TO CONT. ME (FC-120 NOV 25 1330) |
| ✓ | " Maint | Top Lovejoy | | |
| | " Supply | Cpl Jones | 3405, 3418 | |
| | HS Bn | MSgt Tolson | 3360 - 3461 | |
| | 8 th MTT | Sgt Hernandez Capt Mays | 1684 1892 | |
| | 8 th Eng | SSgt Walker | 2622 | |
| | 8 th Comm | Ct Keenan | 1622, 2730 | |



[Faint, illegible handwritten text, possibly bleed-through from the reverse side of the page.]



| Site# | Storage site | |
|-------|---|---|
| 1. | GSM Company, Bld 1601 | |
| 2. | MTM Company, Bld 1601 | Authorized Short Term |
| 3. | Bld. 909 Consolidated Storage Area (H+S Co. motor T, operator) | Hazardous WASTE Storage Facilities, 2D. MAINT. BN. |
| 4. | Engineer MAINT. Co., Bld 902 | |
| 5. | Ordnance MAINT. Co., Bld 901 | |



COMPANY HEADING


6000

From: Company Commander
To: John Doe

Subj: HAZARDOUS WASTE NCO

Ref: (a) BO 6240.5

1. In accordance with the reference, you are hereby appointed the Company Hazardous Waste NCO for _____ Company.
2. You will be guided in the performance of your duties by the reference and as the Company Ground Safety Officer may direct.



SPILL INFORMATION

3. Location of Material Safety Data Sheets:

4. Available spill response equipment:

Type

Location

Use For

5. Fire Extinguishers:

Type

Location

Use For

SECRET

Location of Hospital 2400 2400 2400

Location of Hospital 2400 2400 2400

Location of Hospital 2400 2400 2400

SECRET

Location

SECRET

Table 21.2

SPILL INFORMATION

1. Points of contact to notify in the event of a hazardous waste (HW) emergency:

| SITUATION | PERSON OR DEPARTMENT | PHONE NUMBER |
|-----------------------------------|----------------------|--------------|
| Minor HW Spill (Non-emergency) | | |
| Major HW Spill (Emergency) | | |
| Fire Emergency | | |

2. Other points of contact.

- Emergency Response Department Phone Number
- Fire Department
- Ambulance
- Police
- Supervisor

STILL INVESTIGATION

1. Holder of license to operate in the event of a major emergency

| DATE | TIME | SITUATION |
|------|------|----------------------------|
| | | Major HW Spill (Emergency) |
| | | Major HW Spill (Emergency) |
| | | Fire Emergency |

2. Other units of the Department



- Emergency Response Department

- Fire Department


- Ambulance

- Police

- Supervisor



| # | Storage site | |
|----|---|---|
| 1. | GSM Company, Bld 1601 | |
| 2. | MTM Company, Bld 1601 | Authorized Short Term |
| 3. | Bld. 909 Consolidated Storage Area (H+S Co. motor T, operator) | HAZARDOUS WASTE STORAGE Facilities, 2D. MAINT. BN. |
| 4. | Engineer. MAINT. Co., Bld 902 | |
| 5. | Ordinance MAINT. Co., Bld 901 | |



BID.

913



Michael Street


Site #

1

Storage Site

MHE COMPANY


Authorized Short Term Hazardous
Waste Storage Facilities, H+S
BN, 2DFSSG





DATE
10/16/85


Significant Event


Facilities were spot checked by D. Sharpe ^(NREAD) & Doug Holyfield ^(DHS).
Mr. Holyfield (DHS) recommended continued attention on
The Training / weekly inspections phases.

















Memorandum

DATE: 25 Feb 87

FROM: Traffic Management Officer


TO: Director, Natural Resources and Environmental Affairs
IA: Assistant Chief of Staff, Logistics *McNutt 2/26/87*

SUBJ: REQUEST FOR AUTHORIZATION TO TRANSPORT HAZARDOUS WASTE/MATERIALS
ACID

INCL: (1) Co, 2d Maint Bn, 2D FSSG ltr 1070/S-4 dtd 15 Jan 1987 w/1st
Endorsement

1. Request subject request be reviewed and recommendations be provided.

B. H. McNutt
B. H. MCNUTT





UNITED STATES MARINE CORPS
2D FORCE SERVICE SUPPORT GROUP (REIN)
FLEET MARINE FORCE, ATLANTIC
CAMP LEJEUNE, NORTH CAROLINA 28542-5701

IN REPLY REFER TO:

5100
4
19 Feb 1987

FIRST ENDORSEMENT on CO 2d MaintBn ltr 1070 over S-4 dtd 15 Jan 87


From: Commanding General
To: Commanding General, Marine Corps Base, Camp Lejeune, North Carolina, 28542 (Traffic Management Office)

Subj: AUTHORIZATION TO TRANSPORT HAZARDOUS WASTE/MATERIALS;
REQUEST FOR

1. Forwarded for consideration.
2. This command does not have the resident expertise to determine the validity of the basic correspondence. Several questions come to mind regarding the basic request:
 - a. Is Bldg 909 adequate to accomodate all hazardous material generated by 2d Maintenance Battalion?
 - b. Is there a potential compatability storage problem?
 - c. Is special training and licensing required for the drivers?
3. Point of contact is LtCol Ciampa, ext 3343.


A. J. FINGER
By direction

Copy to:
CO 2d Maint. BN






UNITED STATES MARINE CORPS
2d MAINTENANCE BATTALION
2d FORCE SERVICE SUPPORT GROUP (REIN)
FLEET MARINE FORCE, ATLANTIC
CAMP LEJEUNE, NORTH CAROLINA 28542-5704

IN REPLY REFER TO:

1070
S-4
15 Jan 1987

From: Commanding Officer, 2d Maintenance Battalion
To: Commanding General, Marine Corps Base, Camp Lejeune
(Traffic Management Office)
Via: Commanding General, 2d Force Service Support Group
(AC/S G-4, HWDC)
Subj: AUTHORIZATION TO TRANSPORT HAZARDOUS WASTE/MATERIALS;
REQUEST FOR
Ref: (a) Conversation between Danny Sharp Base EPA, Capt
Alston and Staff Sergeant Ozuna 2d Maintenance
Battalion on 19 Dec 1987

1. Request permission to transport hazardous waste/materials from Bldg #900, 901, 902 & 905 to Bldg #909 Hazardous Waste/Material storage lot. This will reduce the number of hazardous waste/material storage sites.
2. SSgt Ozuna and SSgt Hayes will be designated as the only authorized personnel to transport Maintenance Battalion's Hazardous Waste/Material. Waste to be transported will consist of dry cleaning solvents, used batteries and contaminated fuels.
3. Bldg #909 Hazardous Waste/Material storage lot is adequate to accommodate all hazardous waste/materials generated by the maintenance shops within 2d Maintenance Battalion 900 area.
4. Transportation will not involve any major highways, only the crossing of the paved street, Michael Road.
5. Assistance was given by Base EPA Danny Sharp in the preparation of this request.
6. Point of Contact is Capt Alston or SSgt Ozuna Ext 5222/3989.


R. J. HOOTON

